

L Number	Hits	Search Text	DB	Time stamp
-	7	(discover\$4) with device with (attach\$3 or connect\$3) with fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:09
-	3	(discover\$4) with node with (attach\$3 or connect\$3) with fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:48
-	17	(discover\$4) same (node or device) same (on-demand or ondemand or (on near demand))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:58
-	148	(discover\$4) same (node or device) same (reactive)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:55
-	7	(discover\$4) same (node or device) same (as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:58
-	4	((("5805924") or ("5944798") or ("6199112") or ("5941972")).PN.	USPAT	2004/08/03 14:22
-	0	5872932.pn. and fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:48
-	1	((discover\$4) same (node or device) same (reactive)) and fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:04
-	29	((discover\$4) same (node or device) same (reactive)) and network	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:58
-	484	fabric with (topology or map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 16:01
-	0	(fabric with (topology or map)) and (as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:59
-	2	(fabric with (topology or map)) and (on-demand or ondemand or (on near demand))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 16:01
-	1326	fiber with (topology or map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 16:01
-	14	(fiber with (topology or map)) and (on-demand or ondemand or (on near demand))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 16:11
-	35	(fiber near3 channel) and discover\$4 and (on-demand or ondemand or (on near demand))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:06
-	4703	fabric near5 (configur\$6 or reconfigur\$6 or re-configur\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 14:05
-	26	(fabric near5 (configur\$6 or reconfigur\$6 or re-configur\$6)) and ((on-demand or ondemand or (on near demand)) or (as-needed or (as near needed) or asneeded))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 15:54

-	7	((fabric near5 (configur\$6 or reconfigur\$6 or re-configur\$6)) and ((on-demand or ondemand or (on near demand)) or (as-needed or (as near needed) or asneeded))) and (discover\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 15:53
-	13	(fabric near5 (configur\$6 or reconfigur\$6 or re-configur\$6)) and 709/220,221,222.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 09:17
-	6298	(configur\$6 near5 (database or repositor\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 09:38
-	201	((configur\$6 near5 (database or repositor\$4))) and fabric	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 09:19
-	69	((((configur\$6 near5 (database or repositor\$4))) and fabric) and (online or on-line or awake or wake)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 09:20
-	58	(((((configur\$6 near5 (database or repositor\$4))) and fabric) and (online or on-line or awake or wake)) and ((device or node or unit or element) near4 configur\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 09:39
-	58	(((((configur\$6 near5 (database or repositor\$4))) and fabric) and (online or on-line or awake or wake)) and ((device or node or unit or element or peripheral) near4 configur\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 09:47
-	2	discover\$4 with (device or node or peripheral) with (on-demand or ondemand or (on near demand) or as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 09:49
-	30	configur\$6 with (device or node or peripheral) with (on-demand or ondemand or (on near demand) or as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 09:51
-	23	discover\$4 same (device or node or peripheral) same (on-demand or ondemand or (on near demand) or as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:09
-	51	709/220,221,222.ccls. and (on-demand or ondemand or (on near demand) or as-needed or (as near needed) or asneeded)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 10:23
-	2	((("5872932") or ("5689645")).PN.	USPAT	2004/08/05 14:06
-	2	((("5872932") or ("5689645")).PN.) and configur\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/05 14:07
-	2	5872932.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 09:27
-	1166	(delete\$3 or remove\$3 or unconfigure\$4 or un-configure\$4 or de-allocate\$3 or deallocat\$4) with (node or device or peripheral or unit) with (warn\$4 or notif\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 11:57
-	632	(delete\$3 or remove\$3 or unconfigure\$4 or un-configure\$4 or de-allocate\$3 or deallocat\$4) with (node or device or peripheral or unit) with (warn\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 12:01
-	112	((delete\$3 or remove\$3 or unconfigure\$4 or un-configure\$4 or de-allocate\$3 or deallocat\$4) with (node or device or peripheral or unit) with (warn\$4)) with (use\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 11:58

-	19	((delete\$3 or remove\$3 or unconfigure\$4 or un-configure\$4 or de-allocate\$3 or deallocat\$4) with (node or device or peripheral or unit) with (warn\$4)) with (using or use)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 11:58
-	5	(delete\$3 or remove\$3 or unconfigure\$4 or un-configure\$4 or de-allocate\$3 or deallocat\$4) with node with (warn\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 12:02
-	462	(delete\$3 or remove\$3 or unconfigure\$4 or un-configure\$4 or de-allocate\$3 or deallocat\$4) with device with (warn\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 12:19
-	1357	709/220,221,222.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:54
-	111	709/220,221,222.ccls. and (warn\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 12:21
-	4203	(device or node or peripheral) with (use or using or used) with (warn\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 12:21
-	78	Reboot same default same configur\$7	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:34
-	9	709/220,221,222.ccls. and (Reboot same default same configur\$7)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:25
-	0	reboot with restore with default with configur\$7	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:32
-	30	Reboot with default with configur\$7	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:49
-	2	(alternate with available with device) with list	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:51
-	2	(alternate with available with device) with database	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:51
-	316	alternate with available with device	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:58
-	0	709/220,221,222.ccls. and (alternate with available with device)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:54
-	3	(alternate with available with device) with secondary	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:55
-	196	backup with available with device	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:58
-	14	(backup with available with device) with (list or database)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/06 13:58